In the claims

The following amendments are made with respect to the claims in the International application PCT/GB2004/002622.

This listing of claims will replace all prior versions and listings of claims in this application.

1 (Original). A compound of formula (I) or formula (II)



(I)



(II)

wherein

A and C are the same or different and are each a bond, $-(CH_2)_n-$, $-C(R^b)_2-$, $-Si(R^c)_2-$, $-O-$, $-S(O)_m-$, $-N=$, $-N(R^b)-$, $-N(R^e)C(=X)-$ or $-C(=X)-$;

B is $-(CH_2)_n-$, $-O-$, $-C(R^b)_2-$, $-Si(R^c)_2-$, $-C(R^b)=C(R^b)-$, $-C(R^b)=$, $-(CH_2)_nC(R^g)_2-$, $-C(R^g)_2(CH_2)_n-$ or $-CH(R^b)CH(R^b)-$;

wherein any of A, B and C is optionally substituted with $-Si(R^c)_3$;

D is $-(CH_2)_n-$, $-C(=X)-$, $-O-$, $-S(O)_m-$, $-C(=X)N(R^e)-$, $-C(R^b)_2-$, $-C(R^b)=C(R^b)-$, $-CH(R^b)CH(R^b)-$;

E is optionally present and is $-(CH_2)_n-$, $-N(R^d)-$, $-(CH_2)_nN(R^d)-$ or $-N(R^d)(CH_2)_n-$;

F is $-C(=X)-$ or $-N(R^d)-$;

G is $-(CH_2)_n-$, $-N(R^d)-$, $-(CH_2)_nN(R^d)-$ or $-N(R^d)(CH_2)_n$;

J is optionally present and is $-O-$, $-N(R^c)C(=X)-$, $-C(=X)N(R^c)-$, $-S(O)_m-$, $-N(R^c)S(O)_m-$, $-S(O)_mN(R^c)-$ or $-N(R^e)-$;

K is optionally present and is alkylene optionally substituted with R^b; or K is cycloalkylene, cycloalkenylene, arylene, heterocycloalkylene, heterocycloalkylene or heteroarylene, any of which is optionally substituted with R^a;

L is hydrogen, halogen, $-N(R^f)_2$, cycloalkyl, cycloalkenyl, aryl, heterocycloalkyl, heterocycloalkenyl or heteroaryl, any of which is optionally substituted with R^a, $-C(=X)OR^d$, $-OH$, $-OR^c$, $-C(=X)N(R^b)(R^c)$, $-S(O)_mN(R^b)(R^c)$ or $-CN$;

each R^a is the same or different and is hydrogen, halogen, alkyl, aryl, hydroxy, alkoxy, -alkoxy-$(CH_2)_nC(O)_2R^b$, -O-aryl, $-C(=X)R^c$, $-NO_2$, $-CN$, $-N(R^c)C(=X)R^c$, $-C(=X)N(R^c)_2$, $-S(O)_2N(R^c)_2$ or $-N(R^e)_2$;

each R^b is the same or different and is hydrogen or alkyl;

each R^c is the same or different and is alkyl, cycloalkyl, -alkyl-aryl, -alkyl-cycloalkyl or aryl optionally substituted with R^a;

each R^d is the same or different and is hydrogen, alkyl or aryl optionally substituted with R^a;

each R^e is the same or different and is hydrogen or alkyl; or R^e is aryl or heteroaryl, either of which is optionally substituted with R^a;

each R^f is the same or different and is hydrogen or alkyl; or R^f-N-R^f taken together form heterocycloalkyl, heterocycloalkenyl or heteroaryl;

R^g-C-R^g taken together form heterocyclyl;

each X is the same or different and is oxygen or sulphur;

Rings 1 and 2 are the same or different and are each arylene or heteroarylene, either of which is optionally substituted with R^a;

each m is the same or different and is 0, 1 or 2; and

each n is the same or different and is 0, 1, 2, or 3;

with the provisos that at least one of A, B and C comprises a silicon atom; A and C are not each a bond; and the compound does not comprise a Si-Si bond, a N-N single bond, a Si-O bond, a Si-N bond or a N-O-N linkage;

or a pharmaceutically acceptable salt thereof.

2 (Currently amended). [[A]] <u>The</u> compound according to claim 1, which is of formula (I).

3 (Currently amended). [[A]] <u>The</u> compound according to claim 1 [[or claim 2]], wherein A and/or C is $-Si(R^c)_2-$.

4 (Currently amended). [[A]] The compound according to claim 3, wherein each R^c is the same or different and is alkyl.

5 (Currently amended). [[A]] The compound according to claim 1 [[or claim 2]], wherein A and/or C is $-C(R^b)_{2-}$, $-(CH2)_n-$, $-N(R^b)-$ or -O-.

6 (Currently amended). [[A]] The compound according to claim 5, wherein each R^b is the same or different and is hydrogen or alkyl.

7 (Currently amended). [[A]] The compound according to ~~any preceding~~ claim 1, wherein B is $-(CH_2)_n-$, $-C(R^b)_2-$, $-CH(R^b)CH(R^b)-$, $-C(R^b)=C(R^b)-$, or $-CH_2-C(R^g)_2-$.

8 (Currently amended). [[A]] The compound according to claim 7, wherein each R^b is the same or different and is hydrogen or alkyl.

9 (Currently amended). [[A]] The compound according to ~~any preceding~~ claim 1, wherein D is -O-, -S- or $-CH_2-$.

10 (Currently amended). [[A]] The compound according to ~~any preceding~~ claim 1, wherein E is absent.

11 (Currently amended). [[A]] The compound according to ~~any preceding~~ claim 1, wherein F is -C(O)-.

12 (Currently amended). [[A]] The compound according to ~~any preceding~~ claim 1, wherein G is $-N(R^d)-$.

13 (Currently amended). [[A]] The compound according to claim 12, wherein R^d is hydrogen.

14 (Currently amended). [[A]] The compound according to ~~any preceding~~ claim 1, wherein J and K are absent, and L is hydrogen or $-N(R^f)_2$.

15 (Currently amended). [[A]] The compound according to [[any of]] claim[[s]] 1 [[to 13]], wherein J is -NH-, K is alkylene and L is heterocycloalkyl.

16 (Currently amended). [[A]] The compound according to ~~any preceding~~ claim 1, wherein Ring 1 is heteroarylene.

17 (Currently amended). [[A]] The compound according to claim 16, wherein Ring 1 is furanylene.

18 (Currently amended). [[A]] The compound according to ~~any preceding~~ claim 1, wherein Ring 2 is phenyl, pyrimidinyl or pyridinyl, any of which is optionally substituted.

19 (Currently amended). [[A]] The compound according to claim 18, wherein Ring 2 is substituted 1, 2 or 3 times, the substituents being the same or different in each occurrence and selected from alkoxy and halogen.

20 (Currently amended). [[A]] The compound according to claim 1, selected from:

5-(1,1,4,4,7-pentamethyl-1,4-disila-1,2,3,4-tetrahydronaphthalen-6-yloxy)-N-(2,6-dimethoxyphenyl)furan-2-carboxamide;

5-(1,1,4,4,7-pentamethyl-1,4-disila-1,2,3,4-tetrahydronaphthalen-6-yloxy)-*N*-(2,4,6-trimethoxyphenyl)furan-2-carboxamide;

5-(1,1,4,4,7-pentamethyl-1,4-disila-1,2,3,4-tetrahydronaphthalen-6-yloxy)-*N*-(2,4,6-trimethoxy-1,3-pyrimidin-5-yl)furan-2-carboxamide;5-(1,1,4,4,7-pentamethyl-1,4-disila-1,2,3,4-tetrahydronaphthalen-6-yloxy)-*N*-(2-methylamino-4,6-dimethoxy-1,3-pyrimidin-5-yl)furan-2-carboxamide;

5-(1,1,4,4,7-pentamethyl-1,4-disila-1,2,3,4-tetrahydronaphthalen-6-yloxy)-*N*-{2-[3-(4-methylpiperazin-1-yl)propylamino]-4,6-dimethoxy-1,3-pyrimidin-5-yl}furan-2-carboxamide;

5-(1,1,4,4,7-pentamethyl-1,4-disila-1,2,3,4-tetrahydronaphthalen-6-yloxy)-*N*-{2-[3-(*N*,*N*-dimethylamino)propylamino]-4,6-dimethoxy-1,3-pyrimidin-5-yl}furan-2-carboxamide;

5-(1,1,4,4,7-pentamethyl-1,4-disila-1,2,3,4-tetrahydronaphthalen-6-yloxy)-*N*-{2-[3-(morpholin-4-yl)propylamino]-4,6-dimethoxy-1,3-pyrimidin-5-yl}furan-2-carboxamide;

5-(1,1,6-trimethyl-1-sila-1,2,3,4-tetrahydronaphthalen-7-yloxy)-*N*-(2,6-dimethoxyphenyl)furan-2-carboxamide;

5-(1,1,6-trimethyl-1-sila-1,2,3,4-tetrahydronaphthalen-7-yloxy)-*N*-(2,4,6-trimethoxyphenyl)furan-2-carboxamide;

5-(1,1,6-trimethyl-1-sila-1,2,3,4-tetrahydronaphthalen-7-yloxy)-*N*-(2,4,6-trimethoxy-1,3-pyrimidin-5-yl)furan-2-carboxamide;

5-(1,1,6-trimethyl-1-sila-1,2,3,4-tetrahydronaphthalen-7-yloxy)-*N*-(2-methylamino-4,6-dimethoxy-1,3-pyrimidin-5-yl)furan-2-carboxamide;

5-(1,1,6-trimethyl-1-sila-1,2,3,4-tetrahydronaphthalen-7-yloxy)-*N*-{2-[3-(4-methylpiperazin-1-yl)propylamino]-4,6-dimethoxy-1,3-pyrimidin-5-yl}furan-2-carboxamide;

5-(1,1,6-trimethyl-1-sila-1,2,3,4-tetrahydronaphthalen-7-yloxy)-*N*-{2-[3-(*N*,*N*-dimethylamino)propylamino]-4,6-dimethoxy-1,3-pyrimidin-5-yl}furan-2-carboxamide;

5-(1,1,6-trimethyl-1-sila-1,2,3,4-tetrahydronaphthalen-7-yloxy)-*N*-{2-[3-(morpholin-4-yl)propylamino]-4,6-dimethoxy-1,3-pyrimidin-5-yl}furan-2-carboxamide;

5-(1,1,7-trimethyl-1-sila-1,2,3,4-tetrahydronaphthalen-6-yloxy)-*N*-(2,6-dimethoxyphenyl)furan-2-carboxamide;

5-(1,1,7-trimethyl-1-sila-1,2,3,4-tetrahydronaphthalen-6-yloxy)-*N*-(2,4,6-trimethoxyphenyl)furan-2-carboxamide;

5-(1,1,7-trimethyl-1-sila-1,2,3,4-tetrahydronaphthalen-6-yloxy)-*N*-(2,4,6-trimethoxy-1,3-pyrimidin-5-yl)furan-2-carboxamide;

5-(1,1,7-trimethyl-1-sila-1,2,3,4-tetrahydronaphthalen-6-yloxy)-*N*-(2-methylamino-4,6-dimethoxy-1,3-pyrimidin-5-yl)furan-2-carboxamide;

5-(1,1,7-trimethyl-1-sila-1,2,3,4-tetrahydronaphthalen-6-yloxy)-*N*-{2-[3-(4-methylpiperazin-1-yl)propylamino]-4,6-dimethoxy-1,3-pyrimidin-5-yl}furan-2-carboxamide;

5-(1,1,7-trimethyl-1-sila-1,2,3,4-tetrahydronaphthalen-6-yloxy)-*N*-{2-[3-(*N*,*N*-dimethylamino)propylamino]-4,6-dimethoxy-1,3-pyrimidin-5-yl}furan-2-carboxamide;

5-(1,1,7-trimethyl-1-sila-1,2,3,4-tetrahydronaphthalen-6-yloxy)-*N*-{2-[3-(morpholin-4-yl)propylamino]-4,6-dimethoxy-1,3-pyrimidin-5-yl}furan-2-carboxamide;

5-(1,1,2,4,4,7-hexamethyl-1,4-disila-1,2,3,4-tetrahydronaphthalen-6-yloxy)-*N*-(2,6-dimethoxyphenyl)furan-2-carboxamide;

5-(1,1,2,4,4,7-hexamethyl-1,4-disila-1,2,3,4-tetrahydronaphthalen-6-yloxy)-*N*-(2,4,6-trimethoxyphenyl)furan-2-carboxamide;

5-(1,1,2,4,4,7-hexamethyl-1,4-disila-1,2,3,4-tetrahydronaphthalen-6-yloxy)-*N*-(2,4,6-trimethoxy-1,3-pyrimidin-5-yl)furan-2-carboxamide;

5-(1,1,2,4,4,7-hexamethyl-1,4-disila-1,2,3,4-tetrahydronaphthalen-6-yloxy)-*N*-(2-methylamino-4,6-dimethoxy-1,3-pyrimidin-5-yl)furan-2-carboxamide;

5-(1,1,2,4,4,7-hexamethyl-1,4-disila-1,2,3,4-tetrahydronaphthalen-6-yloxy)-*N*-{2-[3-(4-methylpiperazin-1-yl)propylamino]-4,6-dimethoxy-1,3-pyrimidin-5-yl}furan-2-carboxamide;

5-(1,1,2,4,4,7-hexamethyl-1,4-disila-1,2,3,4-tetrahydronaphthalen-6-yloxy)-*N*-{2-[3-(*N*,*N*-dimethylamino)propylamino]-4,6-dimethoxy-1,3-pyrimidin-5-yl}furan-2-carboxamide;

5-(1,1,2,4,4,7-hexamethyl-1,4-disila-1,2,3,4-tetrahydronaphthalen-6-yloxy)-*N*-{2-[3-(morpholin-4-yl)propylamino]-4,6-dimethoxy-1,3-pyrimidin-5-yl}furan-2-carboxamide;

5-(5-methoxy-1,1,4,4,7-pentamethyl-1,4-disila-1,2,3,4-tetrahydronaphthalen-6-yloxy)-*N*-(2,6-dimethoxyphenyl)furan-2-carboxamide;

5-(5-methoxy-1,1,4,4,7-pentamethyl-1,4-disila-1,2,3,4-tetrahydronaphthalen-6-yloxy)-*N*-(2,4,6-trimethoxyphenyl)furan-2-carboxamide;

5-(5-methoxy-1,1,4,4,7-pentamethyl-1,4-disila-1,2,3,4-tetrahydronaphthalen-6-yloxy)-*N*-(2,4,6-trimethoxy-1,3-pyrimidin-5-yl)furan-2-carboxamide;

5-(5-methoxy-1,1,4,4,7-pentamethyl-1,4-disila-1,2,3,4-tetrahydronaphthalen-6-yloxy)-*N*-(2-methylamino-4,6-dimethoxy-1,3-pyrimidin-5-yl)furan-2-carboxamide;

5-(5-methoxy-1,1,4,4,7-pentamethyl-1,4-disila-1,2,3,4-tetrahydronaphthalen-6-yloxy)-*N*-{2-[3-(4-methylpiperazin-1-yl)propylamino]-4,6-trimethoxy-1,3-pyrimidin-5-yl}furan-2-carboxamide;

5-(5-methoxy-1,1,4,4,7-pentamethyl-1,4-disila-1,2,3,4-tetrahydronaphthalen-6-yloxy)-*N*-{2-[3-(*N*,*N*-dimethylamino)propylamino]-4,6-dimethoxy-1,3-pyrimidin-5-yl}furan-2-carboxamide;

5-(5-methoxy-1,1,4,4,7-pentamethyl-1,4-disila-1,2,3,4-tetrahydronaphthalen-6-yloxy)-*N*-{2-[3-(morpholin-4-yl)propylamino]-4,6-dimethoxy-1,3-pyrimidin-5-yl}furan-2-carboxamide;

5-(8-methoxy-1,1,6-trimethyl-1-sila-1,2,3,4-tetrahydronaphthalen-7-yloxy)-*N*-(2,6-dimethoxyphenyl)furan-2-carboxamide;

5-(8-methoxy-1,1,6-trimethyl-1-sila-1,2,3,4-tetrahydronaphthalen-7-yloxy)-*N*-(2,4,6-trimethoxyphenyl)furan-2-carboxamide;

5-(8-methoxy-1,1,6-trimethyl-1-sila-1,2,3,4-tetrahydronaphthalen-7-yloxy)-*N*-(2,4,6-trimethoxy-1,3-pyrimidin-5-yl)furan-2-carboxamide;

5-(8-methoxy-1,1,6-trimethyl-1-sila-1,2,3,4-tetrahydronaphthalen-7-yloxy)-*N*-(2-methylamino-4,6-dimethoxy-1,3-pyrimidin-5-yl)furan-2-carboxamide;

5-(8-methoxy-1,1,6-trimethyl-1-sila-1,2,3,4-tetrahydronaphthalen-7-yloxy)-*N*-{2-[3-(4-methylpiperazin-1-yl)propylamino]-4,6-dimethoxy-1,3-pyrimidin-5-yl}furan-2-carboxamide;

5-(8-methoxy-1,1,6-trimethyl-1-sila-1,2,3,4-tetrahydronaphthalen-7-yloxy)-*N*-{2-[3-(*N*,*N*-dimethylamino)propylamino]-4,6-dimethoxy-1,3-pyrimidin-5-yl}furan-2-carboxamide;

5-(8-methoxy-1,1,6-trimethyl-1-sila-1,2,3,4-tetrahydronaphthalen-7-yloxy)-*N*-{2-[3-(morpholin-4-yl)propylamino]-4,6-dimethoxy-1,3-pyrimidin-5-yl}furan-2-carboxamide;

5-(1,1,4,4,5,7-hexamethyl-1,4-disila-1,2,3,4-tetrahydronaphthalen-6-yloxy)-*N*-(2,6-dimethoxyphenyl)furan-2-carboxamide;

5-(1,1,4,4,5,7-hexamethyl-1,4-disila-1,2,3,4-tetrahydronaphthalen-6-yloxy)-*N*-(2,4,6-trimethoxyphenyl)furan-2-carboxamide;

5-(1,1,4,4,5,7-hexamethyl-1,4-disila-1,2,3,4-tetrahydronaphthalen-6-yloxy)-*N*-(2,4,6-trimethoxy-1,3-pyrimidin-5-yl)furan-2-carboxamide;

5-(1,1,4,4,5,7-hexamethyl-1,4-disila-1,2,3,4-tetrahydronaphthalen-6-yloxy)-*N*-(2-methylamino-4,6-dimethoxy-1,3-pyrimidin-5-yl)furan-2-carboxamide;

5-(1,1,4,4,5,7-hexamethyl-1,4-disila-1,2,3,4-tetrahydronaphthalen-6-yloxy)-*N*-{2-[3-(4-methylpiperazin-1-yl)propylamino]-4,6-dimethoxy-1,3-pyrimidin-5-yl}furan-2-carboxamide;

5-(1,1,4,4,5,7-hexamethyl-1,4-disila-1,2,3,4-tetrahydronaphthalen-6-yloxy)-*N*-{2-[3-(*N*,*N*-dimethylamino)propylamino]-4,6-dimethoxy-1,3-pyrimidin-5-yl}furan-2-carboxamide;

5-(1,1,4,4,5,7-hexamethyl-1,4-disila-1,2,3,4-tetrahydronaphthalen-6-yloxy)-*N*-{2-{3-(morpholin-4-yl)propylamino]-4,6-dimethoxy-1,3-pyrimidin-5-yl}furan-2-carboxamide;

5-(6-methoxy-1,1,4,4,8-pentamethyl-1,4-disila-1,2,3,4-tetrahydronaphthalen-7-yloxy)-*N*-(2,6-dimethoxyphenyl)furan-2-carboxamide;

5-(6-methoxy-1,1,4,4,8-pentamethyl-1,4-disila-1,2,3,4-tetrahydronaphthalen-7-yloxy)-*N*-(2,4,6-trimethoxyphenyl)furan-2-carboxamide;

5-(6-methoxy-1,1,4,4,8-pentamethyl-1,4-disila-1,2,3,4-tetrahydronaphthalen-7-yloxy)-*N*-(2,4,6-trimethoxy-1,3-pyrimidin-5-yl)furan-2-carboxamide;

5-(6-methoxy-1,1,4,4,8-pentamethyl-1,4-disila-1,2,3,4-tetrahydronaphthalen-7-yloxy)-*N*-(2-methylamino-4,6-dimethoxy-1,3-pyrimidin-5-yl)furan-2-carboxamide;5-(6-methoxy-1,1,4,4,8-pentamethyl-1,4-disila-1,2,3,4-tetrahydronaphthalen-7-yloxy)-*N*-{2-[3-(4-methylpiperazin-1-yl)propylamino]-4,6-dimethoxy-1,3-pyrimidin-5-yl}furan-2-carboxamide;

5-(6-methoxy-1,1,4,4,8-pentamethyl-1,4-disila-1,2,3,4-tetrahydronaphthalen-7-yloxy)-*N*-{2-[3-(*N*,*N*-dimethylamino)propylamino]-4,6-dimethoxy-1,3-pyrimidin-5-yl}furan-2-carboxamide;

5-(6-methoxy-1,1,4,4,8-pentamethyl-1,4-disila-1,2,3,4-tetrahydronaphthalen-7-yloxy)-*N*-{2-[3-(morpholin-4-yl)propylamino]-4,6-dimethoxy-1,3-pyrimidin-5-yl}furan-2-carboxamide;

5-(6-chloro-1,1,4,4-tetramethyl-1,4-disila-1,2,3,4-tetrahydronaphthalen-7-yloxy)-*N*-(2,6-dimethoxyphenyl)furan-2-carboxamide;

5-(6-chloro-1,1,4,4-tetramethyl-1,4-disila-1,2,3,4-tetrahydronaphthalen-7-yloxy)-*N*-(2,4,6-trimethoxyphenyl)furan-2-carboxamide;

5-(6-chloro-1,1,4,4-tetramethyl-1,4-disila-1,2,3,4-tetrahydronaphthalen-7-yloxy)-*N*-(2,4,6-trimethoxy-1,3-pyrimidin-5-yl)furan-2-carboxamide;

5-(6-chloro-1,1,4,4-tetramethyl-1,4-disila-1,2,3,4-tetrahydronaphthalen-7-yloxy)-*N*-(2-methylamino-4,6-dimethoxy-1,3-pyrimidin-5-yl)furan-2-carboxamide;

5-(6-chloro-1,1,4,4-tetramethyl-1,4-disila-1,2,3,4-tetrahydronaphthalen-7-yloxy)-*N*-{2-[3-(4-methylpiperazin-1-yl)propylamino]-4,6-dimethoxy-1,3-pyrimidin-5-yl}furan-2-carboxamide;

5-(6-chloro-1,1,4,4-tetramethyl-1,4-disila-1,2,3,4-tetrahydronaphthalen-7-yloxy)-*N*-{2-[3-(*N*,*N*-dimethylamino)propylamino]-4,6-dimethoxy-1,3-pyrimidin-5-yl}furan-2-carboxamide;

5-(6-chloro-1,1,4,4-tetramethyl-1,4-disila-1,2,3,4-tetrahydronaphthalen-7-yloxy)-*N*-{2-(3-morpholin-4-yl)propylamino]-4,6-dimethoxy-1,3-pyrimidin-5-yl}furan-2-carboxamide;

5-(6-chloro-1,1-dimethyl-1-sila-1,2,3,4-tetrahydronaphthalen-7-yloxy)-*N*-(2,6-dimethoxyphenyl)furan-2-carboxamide;

5-(6-chloro-1,1-dimethyl-1-sila-1,2,3,4-tetrahydronaphthalen-7-yloxy)-*N*-(2,4,6-trimethoxyphenyl)furan-2-carboxamide;

5-(6-chloro-1,1-dimethyl-1-sila-1,2,3,4-tetrahydronaphthalen-7-yloxy)-*N*-(2,4,6-trimethoxy-1,3-pyrimidin-5-yl)furan-2-carboxamide;

5-(6-chloro-1,1-dimethyl-1-sila-1,2,3,4-tetrahydronaphthalen-7-yloxy)-*N*-(2-methylamino-4,6-dimethoxy-1,3-pyrimidin-5-yl)furan-2-carboxamide;

5-(6-chloro-1,1-dimethyl-1-sila-1,2,3,4-tetrahydronaphthalen-7-yloxy)-*N*-{2-[3-(4-methylpiperazin-1-yl)propylamino]-4,6-dimethoxy-1,3-pyrimidin-5-yl}furan-2-carboxamide;

5-(6-chloro-1,1-dimethyl-1-sila-1,2,3,4-tetrahydronaphthalen-7-yloxy)-*N*-{2-[3-(*N*,*N*-dimethylamino)propylamino]-4,6-dimethoxy-1,3-pyrimidin-5-yl}furan-2-carboxamide;

5-(6-chloro-1,1-dimethyl-1-sila-1,2,3,4-tetrahydronaphthalen-7-yloxy)-*N*-{2-[3-(morpholin-4-yl)propylamino]-4,6-dimethoxy-1,3-pyrimidin-5-yl}furan-2-carboxamide;

5-(4,4,7-trimethyl-4-sila-chroman-6-yloxy)-*N*-(2,6-dimethoxyphenyl)furan-2-carboxamide;

5-(4,4,7-trimethyl-4-sila-chroman-6-yloxy)-*N*-(2,4,6-trimethoxyphenyl)furan-2-carboxamide;

5-(4,4,7-trimethyl-4-sila-chroman-6-yloxy)-*N*-(2,4,6-trimethoxy-1,3-pyrimidin-5-yl)furan-2-carboxamide;

5-(4,4,7-trimethyl-4-sila-chroman-6-yloxy)-*N*-(2-methylamino-4,6-dimethoxy-1,3-pyrimidin-5-yl)furan-2-carboxamide;

5-(4,4,7-trimethyl-4-sila-chroman-6-yloxy)-*N*-{2-[3-(4-methylpiperazin-1-yl)propylamino]-4,6-dimethoxy-1,3-pyrimidin-5-yl}furan-2-carboxamide;

5-(4,4,7-trimethyl-4-sila-chroman-6-yloxy)-*N*-{2-[3-(*N*,*N*-dimethylamino)propylamino]-4,6-dimethoxy-1,3-pyrimidin-5-yl}furan-2-carboxamide;

5-(4,4,7-trimethyl-4-sila-chroman-6-yloxy)-*N*-{2-[3-(morpholin-4-yl)propylamino]-4,6-dimethoxy-1,3-pyrimidin-5-yl}furan-2-carboxamide;

5-(1,2,3,4-tetrahydro-4,4,7-trimethyl-4-sila-quinolin-6-yloxy)-*N*-(2,6-dimethoxyphenyl)furan-2-carboxamide;

5-(1,2,3,4-tetrahydro-4,4,7-trimethyl-4-sila-quinolin-6-yloxy)-*N*-(2,4,6-trimethoxyphenyl)furan-2-carboxamide;

5-(1,2,3,4-tetrahydro-4,4,7-trimethyl-4-sila-quinolin-6-yloxy)-*N*-(2,4,6-trimethoxy-1,3-pyrimidin-5-yl)furan-2-carboxamide;

5-(1,2,3,4-tetrahydro-4,4,7-trimethyl-4-sila-quinolin-6-yloxy)-*N*-(2-methylamino-4,6-dimethoxy-1,3-pyrimidin-5-yl)furan-2-carboxamide;

5-(1,2,3,4-tetrahydro-4,4,7-trimethyl-4-sila-quinolin-6-yloxy)-*N*-{2-[3-(4-methylpiperazin-1-yl)propylamino]-4,6-dimethoxy-1,3-pyrimidin-5-yl}furan-2-carboxamide;

5-(1,2,3,4-tetrahydro-4,4,7-trimethyl-4-sila-quinolin-6-yloxy)-*N*-{2-[3-(*N*,*N*-dimethylamino)propylamino]-4,6-dimethoxy-1,3-pyrimidin-5-yl}furan-2-carboxamide;

5-(1,2,3,4-tetrahydro-4,4,7-trimethyl-4-sila-quinolin-6-yloxy)-*N*-{2-[3-(morpholin-4-yl)propylamino]-4,6-dimethoxy-1,3-pyrimidin-5-yl}furan-2-carboxamide;

5-(1,1,3,3,6-pentamethyl-1,3-disila-2,3-dihydro-1*H*-inden-5-yloxy)-*N*-(2,6-dimethoxyphenyl)furan-2-carboxamide;

5-(1,1,3,3,6-pentamethyl-1,3-disila-2,3-dihydro-1*H*-inden-5-yloxy)-*N*-(2,4,6-trimethoxyphenyl)furan-2-carboxamide;

5-(1,1,3,3,6-pentamethyl-1,3-disila-2,3-dihydro-1*H*-inden-5-yloxy)-*N*-(2,4,6-trimethoxy-1,3-pyrimidin-5-yl)furan-2-carboxamide;

5-(1,1,3,3,6-pentamethyl-1,3-disila-2,3-dihydro-1*H*-inden-5-yloxy)-*N*-(2-methylamino-4,6-dimethoxy-1,3-pyrimidin-5-yl)furan-2-carboxamide;

5-(1,1,3,3,6-pentamethyl-1,3-disila-2,3-dihydro-1*H*-inden-5-yloxy)-*N*-{2-[3-(4-methylpiperazin-1-yl)propylamino]-4,6-dimethoxy-1,3-pyrimidin-5-yl}furan-2-carboxamide;

5-(1,1,3,3,6-pentamethyl-1,3-disila-2,3-dihydro-1*H*-inden-5-yloxy)-*N*-{2-[3-(*N*,*N*-dimethylamino)propylamino]-4,6-dimethoxy-1,3-pyrimidin-5-yl}furan-2-carboxamide;

5-(1,1,3,3,6-pentamethyl-1,3-disila-2,3-dihydro-1*H*-inden-5-yloxy)-*N*-{2-[3-(morpholin-4-yl)propylamino]-4,6-dimethoxy-1,3-pyrimidin-5-yl}furan-2-carboxamide;

5-(1,1,5-trimethyl-1-sila-2,3-dihydro-1*H*-inden-6-yloxy)-*N*-(2,6-dimethoxyphenyl)furan-2-carboxamide;

5-(1,1,5-trimethyl-1-sila-2,3-dihydro-1*H*-inden-6-yloxy)-*N*-(2,4,6-trimethoxyphenyl)furan-2-carboxamide;

5-(1,1,5-trimethyl-1-sila-2,3-dihydro-1*H*-inden-6-yloxy)-*N*-(2,4,6-trimethoxy-1,3-pyrimidin-5-yl)furan-2-carboxamide;

5-(1,1,5-trimethyl-1-sila-2,3-dihydro-1*H*-inden-6-yloxy)-*N*-(2-methylamino-4,6-dimethoxy-1,3-pyrimidin-5-yl)furan-2-carboxamide;

5-(1,1,5-trimethyl-1-sila-2,3-dihydro-1*H*-inden-6-yloxy)-*N*-{2-[3-(4-methylpiperazin-1-yl)propylamino]-4,6-dimethoxy-1,3-pyrimidin-5-yl}furan-2-carboxamide;

5-(1,1,5-trimethyl-1-sila-2,3-dihydro-1*H*-inden-6-yloxy)-*N*-{2-[3-(*N*,*N*-dimethylamino)propylamino]-4,6-dimethoxy-1,3-pyrimidin-5-yl}furan-2-carboxamide;

5-(1,1,5-trimethyl-1-sila-2,3-dihydro-1*H*-inden-6-yloxy)-*N*-{2-[3-(morpholin-4-yl)propylamino]-4,6-dimethoxy-1,3-pyrimidin-5-yl}furan-2-carboxamide;

5-(1,1,5-trimethyl-1-sila-2,3-dihydro-1*H*-inden-6-yloxy)-*N*-{2-[(pyridin-2-yl)methylamino]-4,6-dimethoxy-1,3-pyrimidin-5-yl}furan-2-carboxamide;

5-(1,1,6-trimethyl-1-sila-2,3-dihydro-1*H*-inden-5-yloxy)-*N*-(2,6-dimethoxyphenyl)furan-2-carboxamide;

5-(1,1,6-trimethyl-1-sila-2,3-dihydro-1*H*-inden-5-yloxy)-*N*-(2,4,6-trimethoxyphenyl)furan-2-carboxamide;

5-(1,1,6-trimethyl-1-sila-2,3-dihydro-1*H*-inden-5-yloxy)-*N*-(2,4,6-trimethoxy-1,3-pyrimidin-5-yl)furan-2-carboxamide;

5-(1,1,6-trimethyl-1-sila-2,3-dihydro-1*H*-inden-5-yloxy)-*N*-(2-methylamino-4,6-dimethoxy-1,3-pyrimidin-5-yl)furan-2-carboxamide;

5-(1,1,6-trimethyl-1-sila-2,3-dihydro-1*H*-inden-5-yloxy)-*N*-{2-[3-(4-methylpiperazin-1-yl)propylamino]-4,6-dimethoxy-1,3-pyrimidin-5-yl}furan-2-carboxamide;

5-(1,1,6-trimethyl-1-sila-2,3-dihydro-1*H*-inden-5-yloxy)-*N*-{2-[3-(*N*,*N*-dimethylamino)propylamino]-4,6-dimethoxy-1,3-pyrimidin-5-yl}furan-2-carboxamide;

5-(1,1,6-trimethyl-1-sila-2,3-dihydro-1*H*-inden-5-yloxy)-*N*-{2-[3-(morpholin-4-yl)propylamino]-4,6-dimethoxy-1,3-pyrimidin-5-yl}furan-2-carboxamide;

5-(1,1,5-trimethyl-1-sila-1*H*-inden-6-yloxy)-*N*-(2,6-dimethoxyphenyl)furan-2-carboxamide;

5-(1,1,5-trimethyl-1-sila-1*H*-inden-6-yloxy)-*N*-(2,4,6-trimethoxyphenyl)furan-2-carboxamide;

5-(1,1,5-trimethyl-1-sila-1*H*-inden-6-yloxy)-*N*-(2,4,6-trimethoxy-1,3-pyrimidin-5-yl)furan-2-carboxamide;

5-(1,1,5-trimethyl-1-sila-1*H*-inden-6-yloxy)-*N*-(2-methylamino-4,6-dimethoxy-1,3-pyrimidin-5-yl)furan-2-carboxamide;

5-(1,1,5-trimethyl-1-sila-1*H*-inden-6-yloxy)-*N*-{2-[3-(4-methylpiperazin-1-yl)propylamino]-4,6-dimethoxy-1,3-pyrimidin-5-yl}furan-2-carboxamide;

5-(1,1,5-trimethyl-1-sila-1*H*-inden-6-yloxy)-*N*-{2-[3-(*N*,*N*-dimethylamino)propylamino]-4,6-dimethoxy-1,3-pyrimidin-5-yl}furan-2-carboxamide;

5-(1,1,5-trimethyl-1-sila-1*H*-inden-6-yloxy)-*N*-{2-[3-(morpholin-4-yl)propylamino]-4,6-dimethoxy-1,3-pyrimidin-5-yl}furan-2-carboxamide;

5-(5-methoxy-1,1-dimethyl-1-sila-1*H*-inden-6-yloxy)-*N*-(2,6-dimethoxyphenyl)furan-2-carboxamide;

5-(5-methoxy-1,1-dimethyl-1-sila-1*H*-inden-6-yloxy)-*N*-(2,4,6-trimethoxyphenyl)furan-2-carboxamide;

5-(5-methoxy-1,1-dimethyl-1-sila-1*H*-inden-6-yloxy)-*N*-(2,4,6-trimethoxy-1,3-pyrimidin-5-yl)furan-2-carboxamide;

5-(5-methoxy-1,1-dimethyl-1-sila-1*H*-inden-6-yloxy)-*N*-(2-methylamino-4,6-dimethoxy-1,3-pyrimidin-5-yl)furan-2-carboxamide;

5-(5-methoxy-1,1-dimethyl-1-sila-1*H*-inden-6-yloxy)-*N*-{2-[3-(4-methylpiperazin-1-yl)propylamino]-4,6-dimethoxy-1,3-pyrimidin-5-yl}furan-2-carboxamide;

5-(5-methoxy-1,1-dimethyl-1-sila-1*H*-inden-6-yloxy)-*N*-{2-[3-(*N*,*N*-dimethylamino)propylamino]-4,6-dimethoxy-1,3-pyrimidin-5-yl}furan-2-carboxamide;

5-(5-methoxy-1,1-dimethyl-1-sila-1*H*-inden-6-yloxy)-*N*-{2-[3-(morpholin-4-yl)propylamino]-4,6-dimethoxy-1,3-pyrimidin-5-yl}furan-2-carboxamide;

5-[1,1,6-trimethyl-3-(2-propyl)-1-sila-2,3-dihydro-1*H*-inden-5-yloxy]-*N*-(2,6-dimethoxyphenyl)furan-2-carboxamide;

5-[1,1,6-trimethyl-3-(2-propyl)-1-sila-2,3-dihydro-1*H*-inden-5-yloxy]-*N*-(2,4,6-trimethoxyphenyl)furan-2-carboxamide;

5-[1,1,6-trimethyl-3-(2-propyl)-1-sila-2,3-dihydro-1*H*-inden-5-yloxy]-*N*-(2,4,6-trimethoxy-1,3-pyrimidin-5-yl)furan-2-carboxamide;

5-[1,1,6-trimethyl-3-(2-propyl)-1-sila-2,3-dihydro-1*H*-inden-5-yloxy]-*N*-(2-methylamino-4,6-dimethoxy-1,3-pyrimidin-5-yl)furan-2-carboxamide;

5-[1,1,6-trimethyl-3-(2-propyl)-1-sila-2,3-dihydro-1*H*-inden-5-yloxy]-*N*-{2-[3-(4-methylpiperazin-1-yl)propylamino]-4,6-dimethoxy-1,3-pyrimidin-5-yl}furan-2-carboxamide;

5-[1,1,6-trimethyl-3-(2-propyl)-1-sila-2,3-dihydro-1*H*-inden-5-yloxy]-*N*-{2-[3-(*N*,*N*-dimethylamino)propylamino]-4,6-dimethoxy-1,3-pyrimidin-5-yl}furan-2-carboxamide;

5-[1,1,6-trimethyl-3-(2-propyl)-1-sila-2,3-dihydro-1*H*-inden-5-yloxy]-*N*-{2-[3-(morpholin-4-yl)propylamino]-4,6-dimethoxy-1,3-pyrimidin-5-yl}furan-2-carboxamide;

5-(5-chloro-1,1-dimethyl-1-sila-2,3-dihydro-1*H*-inden-6-yloxy)-*N*-(2,6-dimethoxyphenyl)furan-2-carboxamide;

5-(5-chloro-1,1-dimethyl-1-sila-2,3-dihydro-1*H*-inden-6-yloxy)-*N*-(2,4,6-trimethoxyphenyl)furan-2-carboxamide;

5-(5-chloro-1,1-dimethyl-1-sila-2,3-dihydro-1*H*-inden-6-yloxy)-*N*-(2,4,6-trimethoxy-1,3-pyrimidin-5-yl)furan-2-carboxamide;

5-(5-chloro-1,1-dimethyl-1-sila-2,3-dihydro-1*H*-inden-6-yloxy)-*N*-(2-methylamino-4,6-dimethoxy-1,3-pyrimidin-5-yl)furan-2-carboxamide;

5-(5-chloro-1,1-dimethyl-1-sila-2,3-dihydro-1*H*-inden-6-yloxy)-*N*-{2-[3-(4-methylpiperazin-1-yl)propylamino]-4,6-dimethoxy-1,3-pyrimidin-5-yl}furan-2-carboxamide;

5-(5-chloro-1,1-dimethyl-1-sila-2,3-dihydro-1*H*-inden-6-yloxy)-*N*-{2-[3-(*N*,*N*-dimethylamino)propylamino]-4,6-dimethoxy-1,3-pyrimidin-5-yl}furan-2-carboxamide;

5-(5-chloro-1,1-dimethyl-1-sila-2,3-dihydro-1*H*-inden-6-yloxy)-*N*-{2-[3-(morpholin-4-yl)propylamino]-4,6-dimethoxy-1,3-pyrimidin-5-yl}furan-2-carboxamide;

5-(5-chloro-1,1,7-trimethyl-1-sila-2,3-dihydro-1*H*-inden-4-yloxy)-*N*-(2,6-dimethoxyphenyl)furan-2-carboxamide;

5-(5-chloro-1,1,7-trimethyl-1-sila-2,3-dihydro-1*H*-inden-4-yloxy)-*N*-(2,4,6-trimethoxyphenyl)furan-2-carboxamide;

5-(5-chloro-1,1,7-trimethyl-1-sila-2,3-dihydro-1*H*-inden-4-yloxy)-*N*-(2,4,6-trimethoxy-1,3-pyrimidin-5-yl)furan-2-carboxamide;

5-(5-chloro-1,1,7-trimethyl-1-sila-2,3-dihydro-1*H*-inden-4-yloxy)-*N*-(2-methylamino-4,6-dimethoxy-1,3-pyrimidin-5-yl)furan-2-carboxamide;

5-(5-chloro-1,1,7-trimethyl-1-sila-2,3-dihydro-1*H*-inden-4-yloxy)-*N*-{2-[3-(4-methylpiperazin-1-yl)propylamino]-4,6-dimethoxy-1,3-pyrimidin-5-yl}furan-2-carboxamide;

5-(5-chloro-1,1,7-trimethyl-1-sila-2,3-dihydro-1*H*-inden-4-yloxy)-*N*-{2-[3-(*N*,*N*-dimethylamino)propylamino]-4,6-dimethoxy-1,3-pyrimidin-5-yl}furan-2-carboxamide;

5-(5-chloro-1,1,7-trimethyl-1-sila-2,3-dihydro-1*H*-inden-4-yloxy)-*N*-{2-[3-(morpholin-4-yl)propylamino]-4,6-dimethoxy-1,3-pyrimidin-5-yl}furan-2-carboxamide;

5-(5-methoxy-1,1-dimethyl-1-sila-2,3-dihydro-1*H*-inden-6-yloxy)-*N*-(2,6-dimethoxyphenyl)furan-2-carboxamide;

5-(5-methoxy-1,1-dimethyl-1-sila-2,3-dihydro-1*H*-inden-6-yloxy)-*N*-(2,4,6-trimethoxyphenyl)furan-2-carboxamide;

5-(5-methoxy-1,1-dimethyl-1-sila-2,3-dihydro-1*H*-inden-6-yloxy)-*N*-(2,4,6-trimethoxy-1,3-pyrimidin-5-yl)furan-2-carboxamide;

5-(5-methoxy-1,1-dimethyl-1-sila-2,3-dihydro-1*H*-inden-6-yloxy)-*N*-(2-methylamino-4,6-dimethoxy-1,3-pyrimidin-5-yl)furan-2-carboxamide;

5-(5-methoxy-1,1-dimethyl-1-sila-2,3-dihydro-1*H*-inden-6-yloxy)-*N*-{2-[3-(4-methylpiperazin-1-yl)propylamino]-4,6-dimethoxy-1,3-pyrimidin-5-yl}furan-2-carboxamide;

5-(5-methoxy-1,1-dimethyl-1-sila-2,3-dihydro-1*H*-inden-6-yloxy)-*N*-{2-[3-(*N*,*N*-dimethylamino)propylamino]-4,6-dimethoxy-1,3-pyrimidin-5-yl}furan-2-carboxamide;

5-(5-methoxy-1,1-dimethyl-1-sila-2,3-dihydro-1*H*-inden-6-yloxy)-*N*-{2-[3-(morpholin-4-yl)propylamino]-4,6-dimethoxy-1,3-pyrimidin-5-yl}furan-2-carboxamide;

5-(5-methoxy-1,1-dimethyl-1-sila-2,3-dihydro-1*H*-inden-6-yloxy)-*N*-{2-[(pyridin-2-yl)methylamino]-4,6-dimethoxy-1,3-pyrimidin-5-yl}furan-2-carboxamide;

5-[(1,1,4,4,7-pentamethyl-1,4-disila-1,2,3,4-tetrahydronaphthalen-6-yl)methyl]-*N*-{2-[3-(4-methylpiperazin-1-yl)propylamino]-4,6-dimethoxy-1,3-pyrimidin-5-yl}furan-2-carboxamide;

5-[(1,1,4,4,7-pentamethyl-1,4-disila-1,2,3,4-tetrahydronaphthalen-6-yl)methyl]-*N*-{2-[3-(*N*,*N*-dimethylamino)propylamino]-4,6-dimethoxy-1,3-pyrimidin-5-yl}furan-2-carboxamide;

5-[(1,1,4,4,7-pentamethyl-1,4-disila-1,2,3,4-tetrahydronaphthalen-6-yl)methyl]-*N*-{2-[3-(morpholin-4-yl)propylamino]-4,6-dimethoxy-1,3-pyrimidin-5-yl}furan-2-carboxamide;

5-[(1,1,3,3,6-pentamethyl-1,3-disila-2,3-dihydro-1*H*-inden-5-yl)methyl]-*N*-(2,6-dimethoxyphenyl)furan-2-carboxamide;

5-[(1,1,3,3,6-pentamethyl-1,3-disila-2,3-dihydro-1*H*-inden-5-yl)methyl]-*N*-(2,4,6-trimethoxyphenyl)furan-2-carboxamide;

5-[(1,1,3,3,6-pentamethyl-1,3-disila-2,3-dihydro-1*H*-inden-5-yl)methyl]-*N*-(2,4,6-trimethoxy-1,3-pyrimidin-5-yl)furan-2-carboxamide;

5-[(1,1,3,3,6-pentamethyl-1,3-disila-2,3-dihydro-1*H*-inden-5-yl)methyl]-*N*-(2-methylamino-4,6-dimethoxy-1,3-pyrimidin-5-yl)furan-2-carboxamide;

5-[(1,1,3,3,6-pentamethyl-1,3-disila-2,3-dihydro-1*H*-inden-5-yl)methyl]-*N*-{2-[3-(4-methylpiperazin-1-yl)propylamino]-4,6-dimethoxy-1,3-pyrimidin-5-yl}furan-2-carboxamide;

5-[(1,1,3,3,6-pentamethyl-1,3-disila-2,3-dihydro-1*H*-inden-5-yl)methyl]-*N*-{2-[3-(*N*,*N*-dimethylamino)propylamino]-4,6-dimethoxy-1,3-pyrimidin-5-yl}furan-2-carboxamide;

5-[(1,1,3,3,6-pentamethyl-1,3-disila-2,3-dihydro-1*H*-inden-5-yl)methyl]-*N*-{2-[3-(morpholin-4-yl)propylamino]-4,6-dimethoxy-1,3-pyrimidin-5-yl}furan-2-carboxamide;

5-[(1,1,5-trimethyl-1-sila-2,3-dihydro-1*H*-inden-6-yl)methyl]-*N*-(2,6-dimethoxyphenyl)furan-2-carboxamide;

5-[(1,1,5-trimethyl-1-sila-2,3-dihydro-1*H*-inden-6-yl)methyl]-*N*-(2,4,6-trimethoxyphenyl)furan-2-carboxamide;

5-[(1,1,5-trimethyl-1-sila-2,3-dihydro-1*H*-inden-6-yl)methyl]-*N*-(2,4,6-trimethoxy-1,3-pyrimidin-5-yl)furan-2-carboxamide;

5-[(1,1,5-trimethyl-1-sila-2,3-dihydro-1*H*-inden-6-yl)methyl]-*N*-(2-methylamino-4,6-dimethoxy-1,3-pyrimidin-5-yl)furan-2-carboxamide;

5-[(1,1,5-trimethyl-1-sila-2,3-dihydro-1*H*-inden-6-yl)methyl]-*N*-{2-[3-(4-methylpiperazin-1-yl)propylamino]-4,6-dimethoxy-1,3-pyrimidin-5-yl}furan-2-carboxamide;

5-[(1,1,5-trimethyl-1-sila-2,3-dihydro-1*H*-inden-6-yl)methyl]-*N*-{2-[3-(*N*,*N*-dimethylamino)propylamino]-4,6-dimethoxy-1,3-pyrimidin-5-yl}furan-2-carboxamide;

5-[(1,1,5-trimethyl-1-sila-2,3-dihydro-1*H*-inden-6-yl)methyl]-*N*-[2-(3-morpholinopropylamino)-4,6-dimethoxy-1,3-pyrimidin-5-yl]furan-2-carboxamide;

5-[(1,1,5-trimethyl-1-sila-2,3-dihydro-1*H*-inden-6-yl)methyl]-*N*-{2-[(pyridin-2-yl)methylamino]-4,6-dimethoxy-1,3-pyrimidin-5-yl}furan-2-carboxamide;

5-[(1,1,5-trimethyl-1-sila-2,3-dihydroinden-6-yl)methyl]-*N*-(4-chloro-2,6-dimethoxyphenyl)furan-2-carboxamide;

5-(1,1,3,4,4,6-hexamethyl-1-sila-1,2,3,4-tetrahydronaphthalen-7-yloxy)-*N*-{[2-(2-(morpholin-4-yl)-ethylamino)-4,6-dimethoxy-1,3-pyrimidin-5-yl]furan-2-carboxamide;

5-(1,1,4,4,6-pentamethyl-1,4-disila-1,2,3,4-tetrahydronaphthalen-5-oxy)-*N*-(2,4,6-trimethoxyphenyl)furan-2-carboxamide;

5-(7'-hydroxy-1,1,1',1',6,6'-hexamethyl-3,3'-spiro-1,1'-disila-4,4'-dioxo-1,1',2,2',3,3',4,4'-octahydrodinaphthalen-7-yloxy)-*N*-(2,6-dimethoxyphenyl)furan-2-carboxamide;

5-[1,1,2,6-tetramethyl-3-(2-propy)-1-sila-2,3-dihydroinden-5-yloxy]-*N*-(2,4,6-trimethoxyphenyl)furan-2-carboxamide;

5-(1,1,3,4,4-pentamethyl-1-sila-1,2,3,4-tetrahydronaphthalen-7-yloxy)-*N*-(2,4,6-trimethoxy-1,3-pyrimidin-5-yl)furan-2-carboxamide.

5-(1,1,5-trimethyl-1-sila-2,3-dihydroinden-6-yloxy)-*N*-(4-chloro-2,6-dimethoxyphenyl)furan-2-carboxamide;

5-(1,1,3,3,5-pentamethyl-1-sila-2,3-dihydroinden-6-yloxy)-*N*-(2,6-dimethoxyphenyl)furan-2-carboxamide;

5-(1,1,3,3,6-pentamethyl-1-sila-2,3-dihydroinden-5-yloxy)-*N*-(2,6-dimethoxyphenyl)furan-2-carboxamide;

5-(8-methoxy-1,1,4,4,6-pentamethyl-1-sila-1,2,3,4-tetrahydronaphthalen-7-yloxy)-*N*-{2-[3-(morpholin-4-yl)-*N*-propylamino]-4,6-dimethoxy-1,3-pyrimidin-5-yl}furan-2-carboxamide;

5-(1,1,6-trimethyl-1-sila-1,2,3,4-tetrahydronaphthalen-7-yloxy)-*N*-(2,4-dimethoxypyridin-3-yl)furan-2-carboxamide[[.]];

5-(1,1,3,4,4,6-hexamethyl-1-sila-1,2,3,4-tetrahydronaphthalen-7-yloxy)-*N*-(2,4,6-trimethoxy-1,3-pyrimidin-5-yl)furan-2-carboxamide; and

5-(1,1,3,4,4,6-hexamethyl-1-sila-1,2,3,4-tetrahydronaphthalen-7-yloxy)-*N*-[2-(2-*N*,*N*-dimethylaminoethyl)-4,6-trimethoxy-1,3-pyrimidin-5-yl]furan-2-carboxamide[[;]].

21 (Currently amended). [[A]] The compound according to ~~any preceding~~ claim 1, which is in the form of a single enantiomer or diastereomer or tautomer.

22 (Canceled).

23 (Currently amended). A pharmaceutical composition comprising a compound of formula (I) or formula (II)



(I)



(II)

wherein

A and C are the same or different and are each a bond, $-(CH_2)_n-$, $-C(R^b)_2-$, $-Si(R^c)_2-$, -O-, $-S(O)_m-$, -N=, $-N(R^b)-$, $-N(R^e)C(=X)-$ or $-C(=X)-$;

B is $-(CH_2)_n-$, -O-, $-C(R^b)_2-$, $-Si(R^c)_2-$, $-C(R^b)=C(R^b)-$, $-C(R^b)=$, $-(CH_2)_nC(R^g)_2-$, $-C(R^g)_2(CH_2)_n-$ or $-CH(R^b)CH(R^b)-$;

wherein any of A, B and C is optionally substituted with $-Si(R^c)_3$;

D is $-(CH_2)_n-$, $-C(=X)-$, $-O-$, $-S(O)_m-$, $-C(=X)N(R^e)-$, $-C(R^b)_2-$, $-C(R^b)=C(R^b)-$, $-CH(R^b)CH(R^b)-$;

E is optionally present and is $-(CH_2)_n-$, $-N(R^d)-$, $-(CH_2)_nN(R^d)-$ or $-N(R^d)(CH_2)_n-$;

F is $-C(=X)-$ or $-N(R^d)-$;

G is $-(CH_2)_n-$, $-N(R^d)-$, $-(CH_2)_nN(R^d)-$ or $-N(R^d)(CH_2)_n$;

J is optionally present and is $-O-$, $-N(R^c)C(=X)-$, $-C(=X)N(R^c)-$, $-S(O)_m-$, $-N(R^c)S(O)_m-$, $-S(O)_mN(R^c)-$ or $-N(R^e)-$;

K is optionally present and is alkylene optionally substituted with R^b; or K is cycloalkylene, cycloalkenylene, arylene, heterocycloalkylene, heterocycloalkylene or heteroarylene, any of which is optionally substituted with R^a;

L is hydrogen, halogen, $-N(R^f)_2$, cycloalkyl, cycloalkenyl, aryl, heterocycloalkyl, heterocycloalkenyl or heteroaryl, any of which is optionally substituted with R^a, $-C(=X)OR^d$, $-OH$, $-OR^c$, $-C(=X)N(R^b)(R^c)$, $-S(O)_mN(R^b)(R^c)$ or $-CN$;

each R^a is the same or different and is hydrogen, halogen, alkyl, aryl, hydroxy, alkoxy, $-alkoxy-(CH_2)_nC(O)_2R^b$, $-O-aryl$, $-C(=X)R^c$, $-NO_2$, $-CN$, $-N(R^c)C(=X)R^c$, $-C(=X)N(R^c)_2$, $-S(O)_2N(R^c)_2$ or $-N(R^e)_2$;

each R^b is the same or different and is hydrogen or alkyl;

each R^c is the same or different and is alkyl, cycloalkyl, -alkyl-aryl, -alkyl-cycloalkyl or aryl optionally substituted with R^a;

each R^d is the same or different and is hydrogen, alkyl or aryl optionally substituted with R^a;

each R^e is the same or different and is hydrogen or alkyl; or R^e is aryl or heteroaryl, either of which is optionally substituted with R^a;

each R^f is the same or different and is hydrogen or alkyl; or R^f-N-R^f taken together form heterocycloalkyl, heterocycloalkenyl or heteroaryl;

R^g-C-R^g taken together form heterocyclyl;

each X is the same or different and is oxygen or sulphur;

Rings 1 and 2 are the same or different and are each arylene or heteroarylene, either of which is optionally substituted with R^a;

each m is the same or different and is 0, 1 or 2; and

each n is the same or different and is 0, 1, 2, or 3;

with the provisos that at least one of A, B and C comprises a silicon atom; A and C are not each a bond; and the compound does not comprise a Si-Si bond, a N-N single bond, a Si-O bond, a Si-N bond or a N-O-N linkage;

or a pharmaceutically acceptable salt thereof;

~~a compound of any of claims 1 to 2~~1 and a pharmaceutically acceptable diluent or carrier.

24 (Currently amended). The method, according to claim 31, ~~Use of a compound of any of claims 1 to 21, for the manufacture of a medicament~~ for cancer therapy.

25 (Currently amended). A method for ~~Use of a compound of any of claims 1 to 21, for the manufacture of a medicament for~~ the treatment or prevention of endometriosis, uterine myoma, an ovarian disease, a mammary cystic disease, prostatic hypertrophy, amenorrhea, precocious puberty, premenstrual syndrome, a sex-steroid-dependent pathophysiology or benign prostatic hyperplasia, or to arrest spermatogenesis, wherein said method comprises administering, to a patient in need of such treatment, a compound of formula (I) or formula (II)



(I)



(II)

wherein

A and C are the same or different and are each a bond, $-(CH_2)_n-$, $-C(R^b)_2-$, $-Si(R^c)_2-$, $-O-$, $-S(O)_m-$, $-N=$, $-N(R^b)-$, $-N(R^e)C(=X)-$ or $-C(=X)-$;

B is $-(CH_2)_n-$, $-O-$, $-C(R^b)_2-$, $-Si(R^c)_2-$, $-C(R^b)=C(R^b)-$, $-C(R^b)=$, $-(CH_2)_nC(R^g)_2-$, $-C(R^g)_2(CH_2)_n-$ or $-CH(R^b)CH(R^b)-$;

wherein any of A, B and C is optionally substituted with $-Si(R^c)_3$;

D is $-(CH_2)_n-$, $-C(=X)-$, $-O-$, $-S(O)_m-$, $-C(=X)N(R^e)-$, $-C(R^b)_2-$, $-C(R^b)=C(R^b)-$, $-CH(R^b)CH(R^b)-$;

E is optionally present and is $-(CH_2)_n-$, $-N(R^d)-$, $-(CH_2)_nN(R^d)-$ or $-N(R^d)(CH_2)_n-$;

F is $-C(=X)-$ or $-N(R^d)-$;

G is $-(CH_2)_n-$, $-N(R^d)-$, $-(CH_2)_nN(R^d)-$ or $-N(R^d)(CH_2)_n$;

J is optionally present and is $-O-$, $-N(R^c)C(=X)-$, $-C(=X)N(R^c)-$, $-S(O)_m-$, $-N(R^c)S(O)_m-$, $-S(O)_mN(R^c)-$ or $-N(R^e)-$;

K is optionally present and is alkylene optionally substituted with R^b; or K is cycloalkylene, cycloalkenylene, arylene, heterocycloalkylene, heterocycloalkylene or heteroarylene, any of which is optionally substituted with R^a;

L is hydrogen, halogen, $-N(R^f)_2$, cycloalkyl, cycloalkenyl, aryl, heterocycloalkyl, heterocycloalkenyl or heteroaryl, any of which is optionally substituted with R^a, $-C(=X)OR^d$, $-OH$, $-OR^c$, $-C(=X)N(R^b)(R^c)$, $-S(O)_mN(R^b)(R^c)$ or $-CN$;

each R^a is the same or different and is hydrogen, halogen, alkyl, aryl, hydroxy, alkoxy, -alkoxy-$(CH_2)_nC(O)_2R^b$, $-O$-aryl, $-C(=X)R^c$, $-NO_2$, $-CN$, $-N(R^c)C(=X)R^c$, $-C(=X)N(R^c)_2$, $-S(O)_2N(R^c)_2$ or $-N(R^e)_2$;

each R^b is the same or different and is hydrogen or alkyl;

each R^c is the same or different and is alkyl, cycloalkyl, -alkyl-aryl, -alkyl-cycloalkyl or aryl optionally substituted with R^a;

each R^d is the same or different and is hydrogen, alkyl or aryl optionally substituted with R^a;

each R^e is the same or different and is hydrogen or alkyl; or R^e is aryl or heteroaryl, either of which is optionally substituted with R^a;

each R^f is the same or different and is hydrogen or alkyl; or R^f-N-R^f taken together form heterocycloalkyl, heterocycloalkenyl or heteroaryl;

R^g-C-R^g taken together form heterocyclyl;

each X is the same or different and is oxygen or sulphur;

Rings 1 and 2 are the same or different and are each arylene or heteroarylene, either of which is optionally substituted with R^a;

each m is the same or different and is 0, 1 or 2; and

each n is the same or different and is 0, 1, 2, or 3;

with the provisos that at least one of A, B and C comprises a silicon atom; A and C are not each a bond; and the compound does not comprise a Si-Si bond, a N-N single bond, a Si-O bond, a Si-N bond or a N-O-N linkage;

or a pharmaceutically acceptable salt thereof.

26 (Currently amended). The [[use]] method according to claim 25, for the treatment or prevention of endometriosis with pain, polycystic ovarian disease or secondary amenorrhea.

27 (Currently amended). The method, according to claim 31, ~~Use of a compound of any of claims 1 to 21, for the manufacture of a medicament~~ for the treatment or prevention of Alzheimer's disease.

28 (Currently amended). The method, according to claim 31, ~~Use of a compound of any of claims 1 to 21, for the manufacture of a medicament~~ for the treatment or prevention of HIV infection or AIDS.

29 (Currently amended). The method, according to claim 31, ~~Use of a compound of any of claims 1 to 21, for the manufacture of a medicament~~ for the treatment or prevention of a disease caused by thymic malfunction.

30 (Currently amended). The method, according to claim 31, ~~Use according to claim 29,~~ for the treatment or prevention of multiple sclerosis, rheumatoid arthritis or type 1 diabetes.

31 (New). A method for the treatment or prevention of one or more of the following conditions:

a. cancer,

b. Alzheimer's disease,

c. HIV infection or AIDS,

d. a disease caused by thymic malfunction, and

e. multiple sclerosis, rheumatoid arthritis or type 1 diabetes,

wherein said method comprises administering, to a patient in need of such treatment, a compound of formula (I) or formula (II)



(I)



(II)

wherein

A and C are the same or different and are each a bond, $-(CH_2)_n-$, $-C(R^b)_2-$, $-Si(R^c)_2-$, $-O-$, $-S(O)_m-$, $-N=$, $-N(R^b)-$, $-N(R^e)C(=X)-$ or $-C(=X)-$;

B is $-(CH_2)_n-$, $-O-$, $-C(R^b)_2-$, $-Si(R^c)_2-$, $-C(R^b)=C(R^b)-$, $-C(R^b)=$, $-(CH_2)_nC(R^g)_2-$, $-C(R^g)_2(CH_2)_n-$ or $-CH(R^b)CH(R^b)-$;

wherein any of A, B and C is optionally substituted with $-Si(R^c)_3$;

D is $-(CH_2)_n-$, $-C(=X)-$, $-O-$, $-S(O)_m-$, $-C(=X)N(R^e)-$, $-C(R^b)_2-$, $-C(R^b)=C(R^b)-$, $-CH(R^b)CH(R^b)-$;

E is optionally present and is $-(CH_2)_n-$, $-N(R^d)-$, $-(CH_2)_nN(R^d)-$ or $-N(R^d)(CH_2)_n-$;

F is $-C(=X)-$ or $-N(R^d)-$;

G is $-(CH_2)_n-$, $-N(R^d)-$, $-(CH_2)_nN(R^d)-$ or $-N(R^d)(CH_2)_n$;

J is optionally present and is $-O-$, $-N(R^c)C(=X)-$, $-C(=X)N(R^c)-$, $-S(O)_m-$, $-N(R^c)S(O)_m-$, $-S(O)_mN(R^c)-$ or $-N(R^e)-$;

K is optionally present and is alkylene optionally substituted with R^b; or K is cycloalkylene, cycloalkenylene, arylene, heterocycloalkylene, heterocycloalkylene or heteroarylene, any of which is optionally substituted with R^a;

L is hydrogen, halogen, $-N(R^f)_2$, cycloalkyl, cycloalkenyl, aryl, heterocycloalkyl, heterocycloalkenyl or heteroaryl, any of which is optionally substituted with R^a, $-C(=X)OR^d$, $-OH$, $-OR^c$, $-C(=X)N(R^b)(R^c)$, $-S(O)_mN(R^b)(R^c)$ or $-CN$;

each R^a is the same or different and is hydrogen, halogen, alkyl, aryl, hydroxy, alkoxy, -alkoxy-$(CH_2)_nC(O)_2R^b$, -O-aryl, $-C(=X)R^c$, $-NO_2$, $-CN$, $-N(R^c)C(=X)R^c$, $-C(=X)N(R^c)_2$, $-S(O)_2N(R^c)_2$ or $-N(R^e)_2$;

each R^b is the same or different and is hydrogen or alkyl;

each R^c is the same or different and is alkyl, cycloalkyl, -alkyl-aryl, -alkyl-cycloalkyl or aryl optionally substituted with R^a;

each R^d is the same or different and is hydrogen, alkyl or aryl optionally substituted with R^a;

each R^e is the same or different and is hydrogen or alkyl; or R^e is aryl or heteroaryl, either of which is optionally substituted with R^a;

each R^f is the same or different and is hydrogen or alkyl; or R^f-N-R^f taken together form heterocycloalkyl, heterocycloalkenyl or heteroaryl;

R^g-C-R^g taken together form heterocyclyl;

each X is the same or different and is oxygen or sulphur;

Rings 1 and 2 are the same or different and are each arylene or heteroarylene, either of which is optionally substituted with R^a;

each m is the same or different and is 0, 1 or 2; and

each n is the same or different and is 0, 1, 2, or 3;

with the provisos that at least one of A, B and C comprises a silicon atom; A and C are not each a bond; and the compound does not comprise a Si-Si bond, a N-N single bond, a Si-O bond, a Si-N bond or a N-O-N linkage;

or a pharmaceutically acceptable salt thereof.